Vol. 84
Index

2000

AUTHOR INDEX

Volume 84 • 2000

Abe, K. *See* Mishima, K.
Adachi, T. *See* Oku, A.
Akagi, M. *See* Matsui, N.
Akaike, A. *See* Kitamura, Yoshihisa
Akima, M. *See* Ishizuka, N.
Arakawa, K. *See* Oku, A.
Araki, H. *See* Nakatsuma, A.

Bartolini, A. *See* Galeotti, N.
Bulucu, D. *See* Gepdiremen, A.

Cha, Y.-N. *See* Chung, W.-G.
Chang, Y. *See* Hoover, D.B.
Chiba, S. *See* Yang, X.-P.
Chiba, Y., Takada, Y., Sakai, H., Takeyama, H. and Misawa, M.
AHR in rat small bronchial smooth muscle 221
Chun, K.R.J. *See* Raasch, W.
Chung, J.-H. *See* Yim, S.-V.
Chung, W.-G., Park, C.-S., Roh, H.-K., Lee, W.-K. and Cha, Y.-N.
Ranitidine oxidation by FMO and CYP 213

Dendorfer, A. *See* Raasch, W.
Dominiak, P. *See* Raasch, W.
Düzenli, S. *See* Gepdiremen, A.

Egashira, K. *See* Katoh, M.
Egashira, N. *See* Mishima, K.
Egawa, T. *See* Mishima, K.
Endoh, M. *See* Qiao, X.

Fisher, A.
Alzheimer's disease and M1 agonists 101
Fujii, T. and Kawashima, K.
Intracellular signaling via mAChR 124
Fujii, Y., Matsura, T., Kai, M., Kawasaki, Hironaka and Yamada, K.
PZ prevents IND-induced apoptosis 63
Fujita, A., Tashima, K., Nishijima, M. and Takeuchi, K.
Acid secretion in diabetic rats 405
Fujita, T., Kumagai, Y., Ikeda, Yasuhiro, Inamura, N., Iwata, T., Ogino, M. and Majima, M.
Effect of bradykinin B_2 antagonist 133
Fujiwara, M. *See* Mishima, K.
Fukuchi, Y. *See* Teramoto, S.
Fukudome, S. *See* Takahashi, M.
Fukui, H. *See* Yoshizumi, M.
Fukuishi, N. *See* Matsui, N.
Fukunaga, H. *See* Takahashi, M.
Furushiro, M. *See* Suzuki, S.
Futagami, K. *See* Nakatsuma, A.

Galeotti, N., Ghelardini, C. and Bartolini, A.
5-HT_{1A} receptors in cognitive processes 418
Gan, Y. *See* Niu, S.
Gepdiremen, A., Düzenli, S., Hacımüftüoğlu, A., Bulucu, D. and Süleyman, H.
Melatonin in glutamate neurotoxicity 467
Ghelardini, C. *See* Galeotti, N.
Gomita, Y. *See* Nakatsuma, A.

Hacımüftüoğlu, A. *See* Gepdiremen, A.
Han, X.Y., Ito, Y., Nozawa, Yoshinori, Jiang, Y. and Matsunami, K.
$[Ca^{2+}]_i$ elevated by APGW-amide 355
Hanai, H. *See* Liu, W.
Hancock, J.C. *See* Hoover, D.B.
Hara, Takao See Iwata, N.
Hara, Takuji See Ueno, H.
Hasegawa, H. *See* Umekawa, K.
Heyne, N. *See* Yao, K.
Hirai, T., Tsuru, H., Tanimitsu, N., Takumida, M., Watanabe, H., Yajin, K. and Sasa, M.
H_2O_2 effect on nasal mucosa vasculature 470
Hirasawa, K. *See* Liu, W.
Hirosumi, J. *See* Suzuki, A.
Hisayama, T. *See* Yoshizumi, M.
Hoover, D.B., Chang, Y., Hancock, J.C. and Zhang, L.
Tachykinins in the heart 367
Hori, M. *See* Yoshimoto, R.
Horinouchi, T. and Koike, K.
Effects of carteolol on atypical β-AR 287
Hosoda, Y. *See* Liu, W.
Houchi, H. *See* Yoshizumi, M.
Huang, G.-Z., Ujihara, H., Takahashi, S., Kaba, H., Yagi, T. and Inoue, S.
Synaptic plasticity in CPXII KO mice 179

Ichikawa, H. *See* Niu, S.
Igarashi, S., Kume, E., Narita, H. and Kinoshita, M.
Fasting depletes gastric mucus in STZ rats 51
Iida, Y. *See* Kubota, M.
Ikeda, M. *See* Kojima, S.
Ikeda, Yasuhiro See Fujita, T.
Ikeda, Yuri, Ueno, A., Naraba, H., Matsuki, N. and Oh-ishi, S.
Bradykinin response in neuronal cells 140
Ikegaya, Y. *See* Mizuhashi, S.
Ikezawa, K. *See* Oku, A.
Imaizumi, Y. *See* Ohya, S.
Ina, Y. *See* Yao, K.
Inaba, T. *See* Unno, T.
Inaizumi, K. *See* Matsui, N.
Inamura, N. *See* Fujita, T.
Inoue, S. *See* Huang, G.-Z.
Ishibashi, H., Okuya, S., Shimada, H. and Takahama, K.
DES blockade of kainate response 225
Ishiguro, S. *See* Miyamoto, A.
Ishii, A. *See* Ueno, H.
Ishii, T. *See* Teramoto, S.
Ishizuka, N., Saito, K., Akima, M., Matsubara, S. and Saito, M.
Interaction of sildenafil and nicorandil 316
Ito, Y. *See* Han, X.Y.
Ivanović, M. *See* Vucković, S.
Iwasaki, K. *See* Mishima, K.
Iwata, N., Kozuka, M., Hara, Takao, Kaneko, T., Tonohiro, T., Sugimoto, M., Niitsu, Y., Kondo, Y., Yamamoto, T., Sakai, J. and Nagano, M.
A novel M1 agonist, CS-932 266
Iwata, T. *See* Fujita, T.

Jeong, H.-S. *See* Park, J.-S.

Jiang, Y. *See* Han, X.Y.
Jin, D. *See* Sakaguchi, M.
Jin, D., Takai, S., Yamada, M., Sakaguchi, M. and Miyazaki, M.
Two Ang II-forming pathways in blood vessels 449

Kaba, H. *See* Huang, G.-Z.
Kagami, S. *See* Yoshizumi, M.
Kai, M. *See* Fujii, Y.
Kamei, J. and Zushida, K.
Antinociceptive effect of mexiletine 89
Kamikawa, Y. *See* Kojima, S.
Kanda, A. *See* Sasaki, E.
Kaneko, T. *See* Iwata, N.
Kaneto, H. *See* Takahashi, M.
Kano-Ishihara, T. *See* Oku, A.
Kanoh, R. *See* Matsui, N.
Karaki, H. *See* Yoshimoto, R.
Karasawa, A. *See* Yao, K.
Kasajima, K. *See* Matsui, N.
Kataoka, A. *See* Suzuki, S.
Katoh, M., Egashira, K. and Takeshita, A.
Angiotensin II-receptors downregulation 75
Katsuki, M. *See* Yoshimoto, R.
Kawasaki, Hiromu *See* Nakatsuma, A.
Kawasaki, Hironaka *See* Fujii, Y.
Kawashima, H. *See* Kubota, M.
Kawashima, K. *See* Fujii, T.
Kawashimo, A., Shimazoe, T., Yoshimatsu, A. and Watanabe, S.
Adenosine and methamphetamine 78
Kim, C.-J. *See* Yim, S.-V.
Kim, K.-H. *See* Yim, S.-V.
Kimura, J. *See* Ohkubo, S.
Kimura, Satoko *See* Kontani, H.
Kimura, Shunichi *See* Ohya, S.
Kinoshita, M. *See* Igarashi, S.
Kitamura, Yoshihisa, Shimohama, S., Akaike, A.
and Taniguchi, Takashi
PD models: invertebrates to mammals 237
Kitamura, Youji *See* Kubota, M.
Kitano, M. *See* Yamamoto, S.
Kitsukawa, M. *See* Ohya, S.
Kobayashi, Y. *See* Matsumura, Y.
Kodama, N. *See* Shigesue, K.
Kogo, H. *See* Tohei, A.
Koike, K. *See* Horinouchi, T.
Kojima, S., Ikeda, M. and Kamikawa, Y.
5-HTP-evoked luminal 5-HT release 174
Kojo, H. *See* Suzuki, A.
Komori, S. *See* Unno, T.
Kondo, Y. *See* Iwata, N.
Kontani, H., Tsuji, T. and Kimura, Satoko
Adrenergic α-agonists on micturition reflex 381
Koyama, T. *See* Odagaki, Y.
Kozuka, M. *See* Iwata, N.
Kubota, M., Iida, Y., Magata, Y., Kitamura, Youji,
Kawashima, H. and Saji, H.
Neuroprotective effect of zinc compound 334
Kudo, S. *See* Yamatoya, H.
Kumagai, Y. *See* Fujita, T.
Kume, E. *See* Igarashi, S.
Kuo, C.-H. *See* Niu, S.
Kuraishi, Y. *See* Maekawa, T.
Kuro, T. *See* Matsumura, Y.
Kurosaki, Y. *See* Nakatsuma, A.

Lai, Z.-F. and Nishi, K.
Extracellular ATP and intracellular chloride 438
Lee, W.-K. *See* Chung, W.-G.
Liu, W., Sato, Y., Hosoda, Y., Hirasawa, K. and Hanai, H.
Higenamine and colonic ion transport 244

Maekawa, M. *See* Naganuma, T.
Maekawa, T., Nojima, H. and Kuraishi, Y.
Itch-associated cutaneous nerve firing 462
Magata, Y. *See* Kubota, M.
Majima, M. *See* Fujita, T.
Matsubara, S. *See* Ishizuka, N.
Matsui, K. *See* Yamamoto, S.
Matsui, N., Satsuki, I., Morita, Y., Inaizumi, K., Kasajima, K.,
Kanoh, R., Fukuishi, N. and Akagi, M.
NF-kappa B activation by XOD-derived ROS 363
Matsuki, N. *See* Ikeda, Yuri
—— *See* Mizuhashi, S.
Matsumoto, T. *See* Oku, A.
Matsumoto, Y. *See* Mishima, K.
Matsumura, Y. *See* Umekawa, K.
Matsumura, Y., Kuro, T., Kobayashi, Y., Umekawa, K.,
Ohashi, N. and Takaoka, M.
Endothelin and acute renal failure 16
Matsunami, K. *See* Han, X.Y.
Matsuoka, I. *See* Ohkubo, S.
Matsura, T. *See* Fujii, Y.
Matsuse, T. *See* Teramoto, S.
Matsuura, N. *See* Sasaki, E.
Matsuyama, T. *See* Miyamoto, A.
Miki, N. *See* Niu, S.
Misawa, M. *See* Chiba, Y.
Mishima, K., Iwasaki, K., Tsukikawa, H., Matsumoto, Y.,
Egashira, N., Abe, K., Egawa, T. and Fujiwara, M.
ACh release and spatial cognition 163
Miyake, H. *See* Sasaki, E.
Miyamoto, A., Matsuyama, T., Ishiguro, S. and Nishio, A.
Captopril and bradykinin receptors 82
Miyazaki, M. *See* Jin, D.
—— *See* Sakaguchi, M.
Miyoshi, K. *See* Sasaki, E.
Mizuhashi, S., Ikegaya, Y., Nishiyama, N. and Matsuki, N.
Tributyltin changes astrocyte morphology 339
Morita, Y. *See* Matsui, N.
Muraki, K. *See* Ohya, S.
Muramatsu, I. *See* Zhu, J.
Murayama, T. *See* Naganuma, T.
Mutoh, S. *See* Suzuki, A.

Nagano, M. *See* Iwata, N.
Naganuma, T., Maekawa, M., Murayama, T. and Nomura, Y.
Change of exocytosis-related proteins 391
Nagashima, K. *See* Yao, K.
Nakatsuma, A., Kawasaki, Hiromu, Kurosaki, Y., Futagami, K.,
Araki, H. and Gomita, Y.
Ca antagonist and periarterial nerves 156
Nanba, H. *See* Shigesue, K.
Naraba, H. *See* Ikeda, Yuri
Narita, H. *See* Igarashi, S.
Nezu, A., Tanimura, A. and Tojyo, Y.
Ca^{2+} signaling in submandibular ducts 25
Niitsu, Y. *See* Iwata, N.
Nishi, K. *See* Lai, Z.-F.
Nishi, N. *See* Odagaki, Y.
Nishijima, M. *See* Fujita, A.
Nishikawa, E. *See* Niu, S.
Nishio, A. *See* Miyamoto, A.

Nishiyama, N. *See* Mizuhashi, S.
Niu, S., Kuo, C.-H., Gan, Y., Nishikawa, E., Sadakata, T., Ichikawa, H. and Miki, N.
CaMIII change by μ-opioid receptor 412
Nojima, H. *See* Maekawa, T.
Nomura, Y. *See* Naganuma, T.
Norota, I. *See* Qiao, X.
Notsu, Y. *See* Suzuki, A.
Nozawa, Yoshihisa *See* Sasaki, E.
Nozawa, Yoshinori *See* Han, X.Y.

Odagaki, Y., Nishi, N. and Koyama, T.
G protein activation via group II mGluRs 399
Ogino, M. *See* Fujita, T.
Ohashi, H. *See* Unno, T.
Ohashi, N. *See* Matsumura, Y.
—— *See* Umekawa, K.
—— *See* Yamamoto, S.
Oh-ishi, S. *See* Ikeda, Yuri
Ohkubo, S., Kimura, J. and Matsuoka, I.
Ecto-ATP metabolism and cell response 325
Ohno, T. *See* Yao, K.
Ohya, S., Kimura, Shunichi, Kitsukawa, M., Muraki, K., Watanabe, M. and Imaizumi, Y.
SK4 channel in mouse bladder 97
Oku, A., Ueta, K., Arakawa, K., Kano-Ishihara, T., Matsumoto, T., Adachi, T., Yasuda, K., Tsuda, K., Ikezawa, K. and Saito, A.
Effect of a SGLT inhibitor in STZ rats 351
Okuya, S. *See* Ishibashi, H.
Osswald, H. *See* Yao, K.
Ozaki, H. *See* Yoshimoto, R.

Park, C.-S. *See* Chung, W.-G.
Park, J.-S. and Jeong, H.-S.
Nitric oxide in vestibular compensation 425
Prostran, M. *See* Vucković, S.

Qiao, X., Norota, I. and Endoh, M.
JTH-601 on cardiac α_1-adrenoceptors 301

Raasch, W., Chun, K.R.J., Dendorfer, A. and Dominiak, P.
Imidazoline binding sites and inotropy 1
Raasch, W., Slotty, C. and Dominiak, P.
Release from apomorphine polymeric delivery systems 36
Ristović, Z. *See* Vucković, S.
Roh, H.-K. *See* Chung, W.-G.

Sadakata, T. *See* Niu, S.
Saito, A. *See* Oku, A.
Saito, K. *See* Ishizuka, N.
Saito, M. *See* Ishizuka, N.
Saji, H. *See* Kubota, M.
Sakaguchi, M. *See* Jin, D.
Sakaguchi, M., Takai, S., Jin, D., Yamada, M. and Miyazaki, M.
Characteristics of monkey tryptase 375
Sakai, H. *See* Chiba, Y.
Sakai, J. *See* Iwata, N.
Sakai, M. *See* Yamatoya, H.
Sakamoto, S. *See* Tohei, A.
Sasa, M. *See* Hirai, T.
Sasabe, M. *See* Yamamoto, S.
Sasaki, E., Nozawa, Yoshihisa, Miyoshi, K., Kanda, A., Yamasaki, Y., Miyake, H. and Matsuura, N.
Effect of TAS-301 on mitogenic signaling 252
Sato, K. *See* Umekawa, K.
Sato, Y. *See* Liu, W.
Satsuki, I. *See* Matsui, N.
Segawa, Y. *See* Yoshinaga, K.
Shigesue, K., Kodama, N. and Nanba, H.
Collagen arthritis and polysaccharide 293
Shimada, H. *See* Ishibashi, H.
Shimazoe, T. *See* Kawashimo, A.
Shimohama, S. *See* Kitamura, Yoshihisa
Shuto, K. *See* Ueno, H.
Slotty, C. *See* Raasch, W.
Stojanović, R. *See* Vucković, S.
Sugimoto, M. *See* Iwata, N.
Süleyman, H. *See* Gepdiremen, A.
Suzaki, Y. *See* Yoshizumi, M.
Suzuki, A., Yasuno, T., Kojo, H., Hirosumi, J., Mutoh, S. and Notsu, Y.
Pioglitazone-induced expression profiles 113
Suzuki, F. *See* Zhu, J.
Suzuki, S., Kataoka, A. and Furushiro, M.
Nootropic effect of SB-tPS 86

Takada, K. *See* Yamamoto, T.
Takada, Y. *See* Chiba, Y.
Takahama, K. *See* Ishibashi, H.
Takahashi, K. *See* Yoshimoto, R.
Takahashi, M., Fukunaga, H., Kaneto, H., Fukudome, S. and Yoshikawa, M.
Central effects of gluten exorphin A5 259
Takahashi, S. *See* Huang, G.-Z.
Takai, S. *See* Jin, D.
—— *See* Sakaguchi, M.
Takaoka, M. *See* Matsumura, Y.
Takeshita, A. *See* Katoh, M.
Takeuchi, K. *See* Fujita, A.
Takewaki, T. *See* Unno, T.
Takeyama, H. *See* Chiba, Y.
Takumida, M. *See* Hirai, T.
Tamaki, T. *See* Yoshizumi, M.
Tanaka, T. *See* Zhu, J.
Taniguchi, S. *See* Yoshimoto, R.
Taniguchi, Takanobu *See* Zhu, J.
Taniguchi, Takashi *See* Kitamura, Yoshihisa
Tanimitsu, N. *See* Hirai, T.
Tanimura, A. *See* Nezu, A.
Tashima, K. *See* Fujita, A.
Teramoto, S., Ishii, T., Matsuse, T. and Fukuchi, Y.
Gene transfer of AAV vectors into EC 206
Tohei, A., Sakamoto, S. and Kogo, H.
Follicular development regulation by DEX 281
Tojyo, Y. *See* Nezu, A.
Tonohiro, T. *See* Iwata, N.
Tsuchiya, K. *See* Yoshizumi, M.
Tsuda, K. *See* Oku, A.
Tsuji, T. *See* Kontani, H.
Tsukikawa, H. *See* Mishima, K.
Tsuru, H. *See* Hirai, T.
Tsutsumi, Y. *See* Umekawa, K.

Ueno, A. *See* Ikeda, Yuri
Ueno, H., Hara, Takuji, Ishii, A. and Shuto, K.
Benidipine and cerebrovascular lesions 56
Ueta, K. *See* Oku, A.
Ujihara, H. *See* Huang, G.-Z.
Umekawa, K., Hasegawa, H., Tsutsumi, Y., Sato, K., Matsumura, Y. and Ohashi, N.
Characterization of a novel ECE inhibitor 7

Umekawa, K. *See* Matsumura, Y.
Unno, T., Inaba, T., Ohashi, H., Takewaki, T. and Komori, S.
Ca^{2+} mobilization and membrane potential 431

Vučković, S., Prostran, M., Ivanović, M., Ristović, Z. and Stojanović, R.
3-Carbomethoxy fentanyl and rats 188

Washizuka, M. *See* Yoshinaga, K.
Watanabe, H. *See* Hirai, T.
Watanabe, M. *See* Ohya, S.
Watanabe, S. *See* Kawashimo, A.

Yagi, T. *See* Huang, G.-Z.
Yajin, K. *See* Hirai, T.
Yamada, K. *See* Fujii, Y.
Yamada, M. *See* Jin, D.
—— *See* Sakaguchi, M.
Yamamoto, S., Matsui, K., Sasabe, M., Kitano, M. and Ohashi, N.
Cardioprotection of SMP-300 196
Yamamoto, T. *See* Iwata, N.
Yamamoto, T. and Takada, K.
Cannabinoid receptors and drug reward 229
Yamasaki, Y. *See* Sasaki, E.
Yamatoya, H., Sakai, M. and Kudo, S.
Effects of SB-tPS on synaptic functions 93

Yang, X.-P. and Chiba, S.
α_1-receptor subtype in canine splenic artery 360
Yao, K., Heyne, N. and Osswald, H.
TGF in contrast-media-induced nephropathy 347
Yao, K., Ina, Y., Nagashima, K., Ohno, T. and Karasawa, A.
Adenosine and renal dysfunction 310
Yasuda, K. *See* Oku, A.
Yasuno, T. *See* Suzuki, A.
Yim, S.-V., Kim, K.-H., Kim, C.-J. and Chung, J.-H.
Serotonin-induced apoptosis 71
Yoshikawa, M. *See* Takahashi, M.
Yoshimatsu, A. *See* Kawashimo, A.
Yoshimoto, R., Hori, M., Takahashi, K., Taniguchi, S., Katsuki, M., Ozaki, H. and Karaki, H.
Calponin and smooth muscle contraction 474
Yoshinaga, K., Washizuka, M. and Segawa, Y.
CCK acts on exacerbation of pancreatitis 44
Fasting on OCD rat pancreatitis 455
Yoshizumi, M., Kagami, S., Suzaki, Y., Tsuchiya, K., Houchi, H., Hisayama, T., Fukui, H. and Tamaki, T.
Mesangial cell growth by ET-1 (1-31) 146

Zhang, L. *See* Hoover, D.B.
Zhu, J., Taniguchi, Takanobu, Tanaka, T., Suzuki, F. and Muramatsu, I.
Nicotine on cholinergic development 32
Zushida, K. *See* Kamei, J.

SUBJECT INDEX

Volume 84 • 2000

Acetylcholine 93, 124, 266
Acetylcholine release 163
Acid secretion 405
Aconite 244
Acute myocardial infarction 7
Acute renal failure 16, 310
Adenine nucleotide metabolism, extracellular 325
Adeno-associated virus vector 206
Adenosine 78, 310, 347
Adenosine A_1 receptor 78
Adenosine A_1-receptor antagonism 310
Adenosine A_{2A} receptor 325
Adenovirus vector 206
α_2-Adrenergic receptor agonist 381
Adrenergic transmission 360
Adrenergic vasoconstrictor nerve 156
α_1-Adrenoceptor 1, 301
α_1-Adrenoceptor antagonist, selective 301
α_1-Adrenoceptor subtype 360
β-Adrenoceptor 25, 244
β-Adrenoceptor, atypical 287
β_3-Adrenoceptor 287
Agmatine 1
Airway hyperresponsiveness 221
Alzheimer's disease 101, 266
Amnesia 418
Amnesia, scopolamine-induced 86
β-Amyloid 101
Angina 196
Angiotensin I 449
Angiotensin II 75
Angiotensin converting enzyme 449
Angiotensin receptor 75
Animal model 101
Antinociception 188
Antinociception, stress-induced 259
Antinociceptive effect 229
APGW (Ala-Pro-Gly-Try-NH_2)-amide 355
Apomorphine 36
Apoptosis 63, 71
8-Arm radial maze task 163
Arthritis, collagen-induced 293
Astrocyte 140, 339
ATP, extracellular 438

Benidipine 56
Big endothelin 7
Bladder hyperactivity 381
Bladder smooth muscle 97
Bradykinin 82, 140
Bradykinin B_2 receptor 140
Bradykinin B_2-receptor antagonist 133

CA1 pyramidal cell 179
Ca^{2+}, cytosolic 25
Ca^{2+}, intracellular 140
Ca^{2+} channel, L-type 355
Ca^{2+} channel blocker 56, 156
Ca^{2+} mobilization 431
Ca^{2+}-sensitization 221, 474
Ca^{2+} store 431
Calcitonin gene-related peptide-containing vasodilator nerve 156
Calcium 124
Calcium influx, receptor-operated 252
Calmodulin III 412
Calponin 474
Cannabinoid receptor 229
Captopril 82
Cardiac afferent 367
Cardiac contractility 1
Carfentanil 188
Carteolol 287
Caspase-3 63
Cerebral activation 266
Cerebrovascular lesion 56
Chloride activity, intracellular 438
Chloroethylclonidine 360
Cholecystokinin 44
Cholinergic neuron 367
Chymase 449
Chymase, human 146
Cl^--HCO_3^- exchange 438
Cl^- secretion 244
Clonidine 381
Collagen-induced arthritis 293
Colon 174
Complexin II-lacking mice 179
Contrast medium 347
Coronary artery 82, 367
Cutaneous nerve firing 462
Cyclic AMP 25
Cyclic GMP 316
Cytochrome P450 213
Cytokine 455
Cytosolic Ca^{2+} 25
Cytotoxicity 71

db/db mouse 113
Desmethylranitidine 213
Development 32
Dexamethasone 281
Diabetes 89, 113
Diabetes-mellitus 351
Diabetic rat, streptozotocin-induced 51, 405
Diethylstilbestrol 225
Discriminative stimulus property 229
Drug reward system 229

Ecto-5′-nucleotidase 325
Ecto-nucleotide pyrophosphatase 325
Emotionality 259
Endocrine disrupter, environmental 225
Endothelial cell 206
Endothelin 7
Endothelin-1 16
Endothelin-1 (1 – 31) 146
Endothelin converting enzyme 7, 16
Enterochromaffin cell 174
Environmental endocrine disrupter 225
Ethylene vinyl acetate polymeric delivery system 36
Exocytosis-related protein 391
Expression profile 113
Extracellular adenine nucleotide metabolism 325
Extracellular ATP 438
Extracellular signal-regulated kinase 146

Fasting 51
Fentanyl 188
Flavin-containing monooxygenase probe 213
Follicle-stimulating hormone 281
Follicular development 281
c-Fos 124
FR173657 (8-[3-[*N*-[(*E*)-3-(6-acetamidopyridin-3-yl)acryloylglycyl]-*N*-methylamino]-2,6-dichlorobenzyloxy]-2-methylquinoline) 133
Furosemide 133

G protein 391, 399
Gastric fundus, guinea pig 287
Gastric lesion 51
Gastric mucus glycoprotein 51
Gastrin 405
Gene expression 412
Gene knockout mice 237
Gene transfer 206
Na^+-glucose cotransporter 351
Glutamate 334, 467
Glutamate receptor, metabotropic 399
Gluten exorphin A5 259
GTP-binding protein 391, 399
GTPase, high-affinity 399

Na^+/H^+ exchange 196
Cl^--HCO_3^- exchange 438
Heart 196
[^{3}H]Hemicholinium-3 binding (high affinity-choline transporter) 32
High-affinity GTPase 399
Hippocampal cell culture 334
Hippocampus 179, 399
Hippocampus, ventral 163
Histamine 405
Hormone, follicle-stimulating 281
5-HT_{1A} receptor 418
Hydrogen peroxide 470
5-Hydroxytryptamine 71, 174
5-Hydroxytryptophan 174
Hyperalgesia 89

Imidazoline binding site 1
Immature female rat 281

Indomethacin 63
Intermediate conductance Ca^{2+}-activated K^+ (IK) channel 97
Intestinal smooth muscle 431
Intracellular Ca^{2+} 140
Intracellular chloride activity 438
Intracerebroventricular administration 86
Invertebrate 237
Ion-selective microelectrode 438
Ischemia 16, 196
Isoproterenol 25
Itch-scratch response 462

JTH-601 (*N*-(3-hydroxy-6-methoxy-2,4,5-trimethylbenzyl)-*N*-methyl-2-(4-hydroxy-2-isopropyl-5-methyl-phenoxy)ethyl-amine hemifumarate) 301

K^+ channel, intermediate conductance Ca^{2+}-activated 97
K^+ current 425
K^+ secretion 244
K_{ATP} channel 316
Kinase, extracellular signal-regulated 146
Kinetic study 36

L-type Ca^{2+} channel 355
Learning 418
Learning/memory process 259
Left ventricle, rat 75
Lipopolysaccharide 310
Long-term potentiation 179
Lymphocyte 124

Magnetic resonance imaging 56
Maitake polysaccharide 293
Mast cell 375
Melatonin 467
Membrane potential 431
Memory 418
Learning/memory process 259
Mesenteric artery 156
Metabotropic glutamate receptor 399
Methamphetamine 78
Mexiletine 89
Microelectrode, ion-selective 438
Micturition reflex, rat 381
Monkey 375
Monooxygenase probe, flavin-containing 213
Morphine 259, 412
Morphology 339
Moxonidine 1
MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine) 237
M_1 Muscarinic agonist 101, 266
Muscarinic receptor 32, 124, 431
Myeloperoxidase 455
Myocardial infarction, acute 7
Myocardial ischemia 367

N-methyl-D-aspartate receptor 334
Na^+ absorption 244
Na^+-glucose cotransporter 351
Na^+/H^+ exchange 196
Nasal mucosa vasculature 470
Natriuresis 133
Neonate brain, rat 32
Neuro-2A 140
Neuroprotection 334, 467
NG108-15 cell 325
Nicorandil 316
Nicotine 32
Nitric oxide 425, 470
S-Nitroso-cysteine 391
Nuclear factor kappa B 363
Nystatin-perforated patch-clamp recording 225

Occlusion of the common bile duct 455
μ-Opioid receptor 412
Organotin 339
Oxymetazoline 381

Pancreatic bile duct ligation 44
Pancreatitis 44
Pancreatitis, severe acute 455
Parkinson's disease 36
Parkinsonian model 237
Partial agonist 287
Patch-clamp recording, nystatin-perforated 225
PC12 cell 355, 391
Peptone 405
Permeabilized intrapulmonary bronchial smooth muscle 221
Phosphatidylserine 86, 93
Phosphoramidon 7
Pioglitazone 113
Polaprezinc 63
Polysaccharide, *Maitake* 293
Positive inotropic effect 301
Potassium current 425
Protein, exocytosis-related 391
Protein, GTP-binding 391, 399
Protein kinase C 146
Purification 375

Radial maze task, 8-arm 163
Ranitidine *N*-oxide 213
Ranitidine *S*-oxide 213
Reactive oxygen species 63, 363
Receptor-operated calcium influx 252
Regional difference 449
Renal failure, acute 16, 310
Renal function 16
Renal kallikrein 133

Scopolamine 163
Scopolamine-induced amnesia 86
Serotonergic system, central 418
Serotonin 71, 174
Severe acute pancreatitis 455
Shock 310
Signal transduction 252
Sildenafil 316
SK4 97
Smooth muscle 449
Smooth muscle, bladder 97
Smooth muscle, intestinal 431
Smooth muscle, permeabilized intrapulmonary bronchial 221
Smooth muscle contraction 474
SMP-300 (*N*-(aminoiminomethyl)-11-chloro-5,6,7,8-tetrahydro-8-oxo-4*H*-pyrrolo[3,2,1-*kl*][1]benzazocine-2-carboxamide monomethanesulfonate monohydrate) 196
Spatial cognition 163
Splenic macrophage 293
Spontaneously hypertensive rat 156
Stellation 339
Strain difference 462
Streptozotocin 351
Streptozotocin-induced diabetic rat 51
Stress-induced antinociception 259
Striatum 399
Stroke-prone spontaneously hypertensive rat 56
Structure-activity-relationship 188
Submandibular duct 25
Synaptophysin 391
Synaptosome 93

Tachykinin 367
TAS-301 (3-bis(4-methoxyphenyl)methylene-2-indolinone) 252
Tau 101
Thiazolidinedione 113
Transgenic animal 237
Triamcinolone 281
Tributyltin 339
Tryptase 375
Tubuloglomerular feedback 347

Vascular smooth muscle cell proliferation 252
Vasodilator nerve, calcitonin gene-related peptide-containing 156
Ventral hippocampus 163
Ventricular myocardium, rabbit 301
Vestibular compensation 425

Whole-cell recording 179

Xanthine oxidase 363

Zinc 334